


## SOFT CHEESES

For proper drainage and shaping of your cheeses, we offer a range of dies and molds polypropylene block copolymer for food curdled milk and rennet, cylindrical shape, square, rectangular, oval or other shapes on request .

The dimensions and the grouping of blocks molds are adaptable to your needs and provided the color of your choice.

| Liste des couleurs |                                                                                      |
|--------------------|--------------------------------------------------------------------------------------|
| Natural            |    |
| Blue Servi         |    |
| Soft blue          |    |
| Pastel green       |   |
| Green meadow       |  |
| Pine green         |  |
| Light green        |  |
| Light yellow       |  |
| Dark yellow        |  |
| Orange             |  |
| Pink               |  |
| White              |  |
| Red                |  |



## SOFT CHEESES

Rounds ●■□○△▽◇★

35 to 56 mm | 1 3/8 to 2 3/16 inch



| Dimensions |                   | Reference | Bottom | Perforation | Maximal depth |         | Maximal Height of Mould |         | Maximal Height of Extension |         | Single | Bande | 1/2 block or block | Clipped | Welded | Standard Grouping | Use under conditions |
|------------|-------------------|-----------|--------|-------------|---------------|---------|-------------------------|---------|-----------------------------|---------|--------|-------|--------------------|---------|--------|-------------------|----------------------|
|            |                   |           |        |             |               |         |                         |         |                             |         |        |       |                    |         |        |                   |                      |
| mm         | inch              |           |        |             | mm            | inch    | mm                      | inch    | mm                          | inch    |        |       |                    |         |        |                   |                      |
| 35         | 1 3/8             | PM 35/1   |        | xx          |               |         | 70                      | 2 3/4   | 70                          | 2 3/4   | x      |       |                    |         | x      |                   | x                    |
| 44         | 1 23/32           | PM 44/1   |        |             |               |         | 75                      | 2 15/16 | 35                          | 1 3/8   | x      |       |                    | x       |        |                   | x                    |
| 45         | 1 3/4             | PM 45/1   | x      | x           | 8             | 5/16    |                         |         | 47                          | 1 27/32 | x      |       |                    | x       |        |                   | x                    |
| 45         | 1 3/4             | PM 45/2   | x      | xx          | 20            | 25/32   | 70                      | 2 3/4   | 20                          | 25/32   | x      |       |                    | x       |        |                   | x                    |
| 45         | 1 3/4             | PM 45/3   |        | xx          | 70            | 2 3/4   |                         |         |                             |         | x      |       |                    | x       |        |                   | x                    |
| 48/60      | 1 7/8   2 11/32   | PM 48/1   | x      | xx          | 170           | 6 11/16 |                         |         | 85                          | 3 11/32 | x      |       |                    | x       |        |                   |                      |
| 48/59,5    | 1 7/8   2 5/16    | PM 48/2   | x      | xx          | 160           | 6 9/32  |                         |         | 95                          | 3 23/32 | x      |       |                    | x       |        |                   | x                    |
| 50/65,5    | 1 15/16   2 9/16  | PM 50/1   | x      | xx          | 260           | 10 7/32 |                         |         |                             |         | x      |       |                    |         |        | 6x8               | x                    |
| 50         | 1 15/16           | PM 50/2   |        | xx          |               |         | 58                      | 2 9/32  |                             |         | x      |       |                    | x       |        |                   |                      |
| 50         | 1 15/16           | PM 50/3   |        | xx          |               |         | 40                      | 1 9/16  | 38                          | 1 15/32 | x      |       |                    | x       |        |                   |                      |
| 52         | 2 1/32            | PM 52/1   |        | xx          |               |         | 55                      | 2 5/32  |                             |         | x      |       |                    | x       |        |                   |                      |
| 52         | 2 1/32            | PM 52/2   |        | xx          |               |         | 58                      | 2 9/32  |                             |         | x      |       |                    | x       |        |                   |                      |
| 52         | 2 1/32            | PM 52/3   |        | xx          |               |         | 40                      | 1 9/16  | 38                          | 1 15/32 | x      |       |                    | x       |        |                   |                      |
| 54         | 2 1/8             | PM 54/1   |        | xx          |               |         | 230                     | 9 1/32  |                             |         | x      |       |                    |         |        | 4x11              |                      |
| 54         | 2 1/8             | PM 54/2   |        | xx          |               |         | 130                     | 5 3/32  | 130                         | 5 3/32  | x      |       |                    |         | x      |                   | x                    |
| 54         | 2 1/8             | PM 54/3   |        | xx          |               |         | 230                     | 9 1/32  | 230                         | 9 1/32  | x      |       |                    | x       |        |                   | x                    |
| 56         | 2 3/16            | PM 56/1   | x      | x           | 22            | 27/32   | 32                      | 1 1/4   |                             |         | x      |       |                    | x       |        |                   |                      |
| 56         | 2 3/16            | PM 56/2   | x      | x           | 22            | 27/32   | 32                      | 1 1/4   |                             |         | x      |       |                    | x       |        |                   |                      |
| 56/87      | 2 3/16    3 13/32 | PM 56/3   | x      | xxxx        | 75            | 2 15/16 |                         |         |                             |         | x      |       |                    | x       |        | 5x6               |                      |

0\* : Separated bottom

## SOFT CHEESES

★ ◆ ▼ ▲ ○ ■ ● Rounds  
59 to 75 mm | 2 5/16 to 2 17/32 inch



| Dimensions |                   | Reference | Bottom | Perforation | Maximal depth |         | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|-------------------|-----------|--------|-------------|---------------|---------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |                   |           |        |             |               |         |                            |         |                                |         |        |       |                    |        |        |                   |                      |
| mm         | inch              |           |        |             | mm            | inch    | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 59/65      | 2 5/16   2 17/32  | PM 59/1   | x      | xx          | 29            | 1 1/8   | 50                         | 1 5/16  | 85                             | 3 11/32 | x      |       |                    | x      |        | 5x8               |                      |
| 60/75      | 2 11/32   2 15/16 | PM 60/1   | x      | xx          | 65            | 2 17/32 |                            |         |                                |         | x      |       |                    | x      |        |                   |                      |
| 60         | 2 11/32           | PM 60/2   | x      | xx          | 10            | 3/8     | 60                         | 2 11/32 | 55                             | 2 5/32  | x      |       |                    |        | x      |                   | x                    |
| 61         | 2 3/8             | PM 61/1   |        | x           |               |         | 80                         | 3 1/8   | 73                             | 2 27/32 | x      |       |                    |        |        |                   |                      |
| 61         | 2 3/8             | PM 61/2   |        | x           |               |         | 125                        | 4 29/32 | 117                            | 4 19/32 | x      |       |                    | x      |        |                   |                      |
| 62/66      | 2 7/16   2 19/32  | PM 62/1   | x      | x           | 63,5          | 2 1/2   |                            |         | 65                             | 2 17/32 | x      |       |                    | x      |        | 6x7               |                      |
| 64         | 2 1/2             | PM 64/1   |        | x           |               |         | 50                         | 1 15/16 | 20                             | 25/32   | x      |       |                    | x      |        |                   |                      |
| 65         | 2 17/32           | PM 65/1   |        | xx          |               |         | 75                         | 2 15/16 | 85                             | 3 11/32 | x      |       |                    | x      |        |                   |                      |
| 65         | 2 17/32           | PM 65/2   |        |             |               |         | 112                        | 4 13/32 |                                |         |        | 2     |                    |        | x      |                   |                      |
| 67         | 2 5/8             | PM 67/1   | x      | x           | 15            | 9/16    | 25                         | 31/32   | 35                             | 1 3/8   | x      |       |                    | x      |        |                   |                      |
| 68         | 2 21/32           | PM 68/1   |        | xx          |               |         | 80                         | 3 1/8   |                                |         | x      |       |                    | x      |        |                   |                      |
| 69         | 2 11/16           | PM 69/1   |        |             |               |         | 100                        | 3 29/32 | 100                            | 3 29/32 |        | 2     |                    |        | x      |                   |                      |
| 70         | 2 3/4             | PM 70/1   | x      | xx          | 107           | 4 3/16  |                            |         | 107                            | 4 3/16  |        | 2     |                    |        | x      |                   | x                    |
| 70         | 2 3/4             | PM 70/2   |        |             |               |         | 85                         | 3 11/32 | 85                             | 3 11/32 |        |       | x                  |        | x      |                   |                      |
| 70         | 2 3/4             | PM 70/3   |        |             |               |         | 90                         | 3 17/32 | 90                             | 3 17/32 |        | 2     |                    |        | x      |                   |                      |
| 73         | 2 27/32           | PM 73/1   |        |             |               |         | 95                         | 3 23/32 | 95                             | 3 23/32 |        | 2     |                    |        | x      |                   |                      |
| 75         | 2 15/16           | PM 75/1   |        | xx          |               |         | 90                         | 3 17/32 | 60                             | 2 11/32 | x      |       |                    | x      |        |                   |                      |
| 75         | 2 15/16           | PM 75/2   |        | xxx         |               |         | 60                         | 2 11/32 | 30                             | 1 5/32  | x      |       |                    | x      |        |                   |                      |
| 75         | 2 15/16           | PM 75/3   |        |             |               |         | 80                         | 3 1/8   | 80                             | 3 1/8   |        | 5     |                    |        | x      |                   |                      |

0\* : seperated bottom

You have not found the model you are looking for, we certainly have a solution for you.

Feel free to contact us : Tel +33 (0)2 47 96 11 50 – Fax +33 (0)2 47 96 11 77

## SOFT CHEESES

Rounds ● ■ ○ ▲ ▼ ◆ ★

78 to 87 mm | 3 1/16 to 3 13/32 inch



| Dimensions |         | Reference | Bottom | Perforation | Maximal depth |         | Maximal Height of Mould |         | Maximal Height of Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|---------|-----------|--------|-------------|---------------|---------|-------------------------|---------|-----------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |         |           |        |             |               |         |                         |         |                             |         |        |       |                    |        |        |                   |                      |
| mm         | inch    |           |        |             | mm            | inch    | mm                      | inch    | mm                          | inch    |        |       |                    |        |        |                   |                      |
| 78         | 3 1/16  | PM 78/1   | x      | xx          | 15            | 9/16    | 30                      | 1 5/32  | 20                          | 25/32   | x      |       |                    | x      |        |                   | x                    |
| 80         | 3 1/8   | PM 80/1   |        | xxx         |               |         | 65                      | 2 17/32 | 30                          | 1 5/32  | x      |       |                    |        | x      |                   |                      |
| 80         | 3 1/8   | PM 80/2   |        |             |               |         | 106                     | 4 5/32  | 106                         | 4 5/32  | x      |       |                    |        | x      |                   |                      |
| 80         | 3 1/8   | PM 80/3   |        |             |               |         | 79                      | 3 3/32  | 79                          | 3 3/32  |        | 5     |                    |        | x      |                   |                      |
| 81         | 3 3/16  | PM 81/1   | x      | xx          | 60            | 2 11/32 | 25                      | 31/32   |                             |         | x      |       |                    | x      |        |                   |                      |
| 83         | 3 1/4   | PM 83/1   |        |             |               |         | 82                      | 3 7/32  | 82                          | 3 7/32  |        | 5     |                    |        | x      |                   |                      |
| 83         | 3 1/4   | PM 83/2   | x      | xx          | 60            | 2 11/32 |                         |         | 25                          | 31/32   |        | 5     |                    |        | x      |                   | x                    |
| 83,5       | 3 9/32  | PM 83,5/1 |        |             |               |         | 75                      | 2 15/16 | 75                          | 2 15/16 |        | 5     |                    |        | x      |                   |                      |
| 83,5       | 3 9/32  | PM 83,5/2 |        |             |               |         | 100                     | 3 29/32 | 100                         | 3 29/32 |        | 5     |                    |        | x      |                   |                      |
| 83,5       | 3 9/32  | PM 83,5/3 |        | x           |               |         | 60                      | 2 11/32 | 40                          | 1 9/16  | x      |       |                    | x      |        |                   | x                    |
| 83,5       | 3 9/32  | PM 83,5/4 | x      |             | 12            | 15/32   | 27                      | 1 1/16  | 30                          | 1 5/32  |        | 3     |                    |        | x      |                   | x                    |
| 85         | 3 11/32 | PM 85/1   |        |             |               |         | 106                     | 4 5/32  | 106                         | 4 5/32  |        | 5     |                    |        | x      |                   |                      |
| 85         | 3 11/32 | PM 85/2   |        |             |               |         | 74,5                    | 2 29/32 | 74,5                        | 2 29/32 |        | 6     |                    |        | x      |                   |                      |
| 85         | 3 11/32 | PM 85/3   | x      | xxx         | 12            | 15/32   | 21                      | 13/16   | 20                          | 25/32   | x      |       |                    | x      |        |                   |                      |
| 85         | 3 11/32 | PM 85/4   |        | xxx         |               |         | 72                      | 2 13/16 | 71,50                       | 2 13/16 | x      |       |                    | x      |        |                   |                      |
| 85         | 3 11/32 | PM 85/5   | x      | xxx         | 12            | 15/32   | 85,5                    | 3 11/32 |                             |         | x      |       |                    | x      |        |                   |                      |
| 85         | 3 11/32 | PM 85/6   | x      | xxx         | 72            | 2 13/16 |                         |         | 71,5                        | 2 13/16 | x      |       |                    | x      |        |                   |                      |
| 87         | 3 13/32 | PM 87/1   | x      | xxxx        | 0*            |         | 296                     | 11 5/8  | 302                         | 11 7/8  | x      |       |                    |        | x      |                   | x                    |

0\* : Separated bottom

## SOFT CHEESES

★ ◆ ▼ ▲ ● ■ ● Rounds  
90 to 104 mm | 3 17/32 to 4 3/32 inch



| Dimensions |                    | Reference | Bottom | Perforation | Maximal depth |         | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|--------------------|-----------|--------|-------------|---------------|---------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |                    |           |        |             |               |         |                            |         |                                |         |        |       |                    |        |        |                   |                      |
| mm         | inch               |           |        |             | mm            | inch    | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 90         | 3 17/32            | PM 90/1   |        | xxxx        |               |         | 110                        | 4 5/16  |                                |         | x      |       |                    |        | x      |                   |                      |
| 90         | 3 17/32            | PM 90/2   | x      | xxxx        | 15            | 9/16    | 75                         | 2 15/16 | 85                             | 3 11/32 | x      |       |                    |        | x      |                   | x                    |
| 92         | 3 19/32            | PM 92/1   |        |             |               |         | 105                        | 4 1/8   |                                |         | x      |       |                    |        | x      |                   |                      |
| 92/100     | 3 19/32    3 29/32 | PM 92/2   | x      | xx          | 78            | 3 1/16  |                            |         |                                |         | x      |       |                    | x      |        |                   |                      |
| 93         | 3 21/32            | PM 93/1   |        |             |               |         | 75                         | 2 15/16 | 75                             | 2 15/16 | x      |       |                    | x      |        |                   |                      |
| 93         | 3 21/32            | PM 93/2   |        | xx          |               |         | 75                         | 2 15/16 | 75                             | 2 15/16 | x      |       |                    | x      |        |                   |                      |
| 93         | 3 21/32            | PM 93/3   |        | xx          |               |         | 75                         | 2 15/16 | 35                             | 1 3/8   | x      |       |                    |        | x      |                   |                      |
| 93         | 3 21/32            | PM 93/4   |        | xx          |               |         | 100                        | 3 29/32 | 100                            | 3 29/32 | x      |       |                    |        | x      |                   |                      |
| 95         | 3 23/32            | PM 95/1   | x      |             | 0*            | 0*      | 63                         | 2 15/32 |                                |         | x      |       |                    |        | x      |                   |                      |
| 95/105     | 3 23/32   4 1/8    | PM 95/2   | x      | xx          | 58            | 2 9/32  |                            |         |                                |         | x      |       |                    |        | x      |                   |                      |
| 96         | 3 3/4              | PM 96/1   |        |             |               |         | 66,5                       | 2 19/32 | 66,5                           | 2 19/32 |        | 5     |                    |        | x      |                   |                      |
| 96         | 3 3/4              | PM 96/2   |        |             |               |         | 85,5                       | 3 11/32 | 85,5                           | 3 11/32 |        | 2     |                    |        | x      |                   |                      |
| 98         | 3 27/32            | PM 98/1   |        | xx          |               |         | 55                         | 2 5/32  |                                |         | x      |       |                    | x      |        |                   |                      |
| 98         | 3 27/32            | PM 98/2   |        |             |               |         | 85,5                       | 3 11/32 | 85,5                           | 3 11/32 |        | 2     |                    |        | x      |                   |                      |
| 100        | 3 29/32            | PM 100/1  |        |             |               |         | 85,5                       | 3 11/32 |                                |         |        | 2     |                    |        | x      |                   |                      |
| 100        | 3 29/32            | PM 100/2  | x      | xx          | 60            | 2 11/32 |                            |         | 50                             | 1 15/16 |        | 2     |                    |        | x      |                   |                      |
| 100        | 3 29/32            | PM 100/3  |        | xx          |               |         | 60                         | 2 11/32 | 130                            | 5 3/32  | x      |       |                    |        | x      |                   |                      |
| 103        | 4 1/32             | PM 103/1  |        |             |               |         | 53                         | 2 1/16  | 25                             | 31/32   |        | 4     |                    |        | x      |                   | x                    |
| 103        | 4 1/32             | PM 103/2  |        |             |               |         | 74                         | 2 29/32 | 74                             | 2 29/32 |        |       | x                  |        |        | 4 x 5             |                      |
| 104        | 4 3/32             | PM 104/1  |        |             |               |         | 81                         | 3 3/16  | 81                             | 3 3/16  |        |       | x                  |        |        | 4 x 5             |                      |

0\* : seperated bottom


You have not found the model you are looking for, we certainly have a solution for you.

Feel free to contact us : Tel +33 (0)2 47 96 11 50 – Fax +33 (0)2 47 96 11 77

## SOFT CHEESES

Rounds    

105 to 115 mm | 4 1/8 to 4 1/2 inch




| Dimensions |                 | Reference | Bottom | Perforation | Maximal depth |                 | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|-----------------|-----------|--------|-------------|---------------|-----------------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
| mm         | inch            |           |        |             | mm            | inch            | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 105        | 4 1/8           | PM 105/1  |        | xxx         |               |                 | 70                         | 2 3/4   | 30                             | 1 5/32  | x      |       |                    |        | x      |                   |                      |
| 105        | 4 1/8           | PM 105/2  | x      |             | 75/5          | 2 15/16    3/16 |                            |         | 85                             | 3 11/32 | x      |       |                    |        | x      |                   |                      |
| 106        | 4 5/32          | PM 106/1  | x      | x           | 12/32         | 15/32    1 1/4  | 32                         | 1 1/4   | 36                             | 1 13/32 |        | 2     |                    |        | x      |                   |                      |
| 107        | 4 3/16          | PM 107/1  |        | xxxx        |               |                 | 65                         | 2 17/32 | 30,5                           | 1 3/16  | x      |       |                    |        | x      |                   |                      |
| 108        | 4 1/4           | PM 108/1  |        |             |               |                 | 80                         | 3 1/8   | 75                             | 2 15/16 |        |       | x                  |        |        | 4x5               |                      |
| 108        | 4 1/4           | PM 108/2  |        |             |               |                 | 72                         | 2 13/16 |                                |         |        | 3     |                    |        | x      |                   |                      |
| 108/123    | 4 1/4   4 13/16 | PM 108/3  | x      | xxx         | 70            | 2 3/4           |                            |         |                                |         | x      |       |                    |        |        |                   |                      |
| 110        | 4 5/16          | PM 110/1  |        |             |               |                 | 75                         | 2 15/16 | 75                             | 2 15/16 |        |       | x                  |        |        | 4x5               |                      |
| 110        | 4 5/16          | PM 110/2  | x      | xxx         | 45/5          | 1 3/4    3/16   |                            |         |                                |         | x      |       |                    |        | x      |                   |                      |
| 110        | 4 5/16          | PM 110/3  | x      | xxx         | 45            | 1 3/4           |                            |         |                                |         | x      |       |                    |        | x      |                   | x                    |
| 110        | 4 5/16          | PM 110/4  | x      | xxx         | 142           | 5 9/16          | 142                        | 5 9/16  | 142                            | 5 9/16  | x      |       |                    |        | x      |                   |                      |
| 110        | 4 5/16          | PM 110/5  |        |             |               |                 | 80                         | 3 1/8   | 80                             | 3 1/8   |        |       | x                  |        |        | 4x5               |                      |
| 110        | 4 5/16          | PM 110/6  |        | xxx         |               |                 | 100                        | 3 29/32 | 100                            | 3 29/32 | x      |       |                    | x      |        |                   |                      |
| 110        | 4 5/16          | PM 110/7  |        | xxx         |               |                 | 76                         | 2 31/32 | 76                             | 2 31/32 | x      |       |                    |        | x      |                   |                      |
| 112        | 4 13/32         | PM 112/1  |        |             |               |                 | 81                         | 3 3/16  | 81                             | 3 3/16  |        |       | x                  |        |        | 5x5               |                      |
| 112        | 4 13/32         | PM 112/2  |        | x           |               |                 | 75                         | 2 15/16 | 75                             | 2 15/16 |        | 5     |                    |        | x      |                   |                      |
| 112        | 4 13/32         | PM 112/3  |        |             |               |                 | 74                         | 2 29/32 | 74                             | 2 29/32 |        |       | x                  |        |        | 4x5               |                      |
| 115        | 4 1/2           | PM 115/1  |        | xxxx        |               |                 | 100                        | 3 29/32 | 40                             | 1 9/16  | x      |       |                    | x      |        |                   |                      |

0\* : Separated bottom

## SOFT CHEESES

★ ◆ ▼ ▲ ○ ■ ● Rounds  
115 to 135 mm | 4 1/2 to 5 5/16 inch



| Dimensions |         | Reference | Bottom | Perforation | Maximal depth |        | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|---------|-----------|--------|-------------|---------------|--------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |         |           |        |             |               |        |                            |         |                                |         |        |       |                    |        |        |                   |                      |
| mm         | inch    |           |        |             | mm            | inch   | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 115        | 4 1/2   | PM 115/2  |        | xxx         |               |        | 100                        | 3 29/32 | 100                            | 3 29/32 | x      |       |                    | x      |        |                   |                      |
| 115        | 4 1/2   | PM 115/3  |        | xxx         |               |        | 60                         | 2 11/32 | 130                            | 5 3/32  | x      |       |                    |        | x      |                   |                      |
| 118        | 4 5/8   | PM 118/1  | x      | xx          | 0*            | 0*     | 50                         | 1 15/16 | 50                             | 1 15/16 |        | 4     |                    |        | x      |                   |                      |
| 118        | 4 5/8   | PM 118/2  |        |             |               |        | 55                         | 2 5/32  | 55                             | 2 5/32  | x      |       |                    |        | x      |                   |                      |
| 120        | 4 23/32 | PM 120/1  |        | xxxx        |               |        | 90                         | 3 17/32 |                                |         | x      |       |                    |        | x      |                   |                      |
| 120        | 4 23/32 | PM 120/2  | x      | xxxx        | 30            | 1 5/32 | 50                         | 1 15/16 | 40                             | 1 9/16  | x      |       |                    |        | x      |                   |                      |
| 123        | 4 13/16 | PM 123/1  |        |             |               |        | 95                         | 3 23/32 | 95                             | 3 23/32 |        | 2     |                    |        | x      |                   |                      |
| 125        | 4 29/32 | PM 125/1  |        | xx          |               |        | 48                         | 1 7/8   | 58                             | 2 9/32  | x      |       |                    | x      |        |                   |                      |
| 125        | 4 29/32 | PM 125/2  |        |             |               |        | 72                         | 2 13/16 | 72                             | 2 13/16 |        | 3     |                    |        | x      |                   | x                    |
| 130        | 5 3/32  | PM 130/1  |        | xxx         |               |        | 70                         | 2 3/4   | 130                            | 5 3/32  | x      |       |                    |        | x      |                   |                      |
| 130        | 5 3/32  | PM 130/2  |        |             |               |        | 103,5                      | 4 1/16  | 103,5                          | 4 1/16  | x      |       |                    |        | x      |                   | x                    |
| 130        | 5 3/32  | PM 130/3  |        | xxxx        |               |        | 55                         | 2 5/32  |                                |         | x      |       |                    |        |        |                   | x                    |
| 130        | 5 3/32  | PM 130/4  | x      | xxx         | 20            | 25/32  |                            |         | 30                             | 1 5/32  | x      |       |                    |        | x      |                   |                      |
| 130        | 5 3/32  | PM 130/5  |        | xxx         |               |        | 97                         | 3 13/16 | 62                             | 2 7/16  | x      |       |                    | x      |        |                   |                      |
| 130        | 5 3/32  | PM 130/6  |        |             |               |        | 85                         | 3 11/32 | 40                             | 1 9/16  |        |       | x                  |        | x      | 3x4               |                      |
| 130        | 5 3/32  | PM 130/7  |        |             |               |        | 75                         | 2 15/16 | 75                             | 2 15/16 |        | 3     |                    |        | x      |                   |                      |
| 130        | 5 3/32  | PM 130/8  |        |             |               |        | 65                         | 2 17/32 | 65                             | 2 17/32 |        |       | x                  |        |        | 3x5               |                      |
| 135        | 5 5/16  | PM 135/1  |        |             |               |        | 75                         | 2 15/16 | 75                             | 2 15/16 |        | 3     |                    |        | x      |                   |                      |

0\* : seperated bottom

You have not found the model you are looking for, we certainly have a solution for you.

Feel free to contact us : Tel +33 (0)2 47 96 11 50 – Fax +33 (0)2 47 96 11 77

## SOFT CHEESES

Rounds     

135 to 170 mm | 5 5/16 to 6 11/16 inch



| Dimensions |                  | Reference | Bottom | Perforation | Maximal depth |        | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|------------------|-----------|--------|-------------|---------------|--------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |                  |           |        |             |               |        |                            |         |                                |         |        |       |                    |        |        |                   |                      |
| mm         | inch             |           |        |             | mm            | inch   | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 135        | 5 5/16           | PM 135/2  |        |             |               |        | 85                         | 3 11/32 | 85                             | 3 11/32 |        | 2     |                    |        | x      |                   | x                    |
| 140        | 5 1/2            | PM 140/1  |        |             |               |        | 116                        | 4 9/16  | 116                            | 4 9/16  | x      |       |                    |        | x      |                   |                      |
| 145        | 5 11/16          | PM 145/1  | x      | xxxx        | 25            | 31/32  | 80                         | 3 1/8   | 50                             | 1 15/16 | x      |       |                    |        | x      |                   | x                    |
| 145        | 5 11/16          | PM 145/2  |        | xxxx        |               |        | 120                        | 4 23/32 | 50                             | 1 15/16 | x      |       |                    |        | x      |                   | x                    |
| 145        | 5 11/16          | PM 145/3  | x      | xxxx        | 0*            | 0*     | 120                        | 4 23/32 |                                |         | x      |       |                    |        | x      |                   | x                    |
| 145        | 5 11/16          | PM 145/4  |        | xxxx        |               |        |                            |         | 80                             | 3 1/8   | x      |       |                    |        | x      |                   |                      |
| 145        | 5 11/16          | PM 145/5  |        | xxx         |               |        | 85                         | 3 11/32 | 55                             | 2 5/32  | x      |       |                    | x      |        |                   |                      |
| 149/154    | 5 27/32   6 1/16 | PM 149/1  | x      |             | 80            | 3 1/8  |                            |         |                                |         | x      |       |                    |        | x      |                   |                      |
| 150        | 5 7/8            | PM 150/1  |        |             |               |        | 123                        | 4 13/16 |                                |         | x      |       |                    |        | x      |                   |                      |
| 150        | 5 7/8            | PM 150/2  | x      |             | 109           | 4 9/32 | 109                        | 4 9/32  | 109                            | 4 9/32  | x      |       |                    |        | x      |                   |                      |
| 160        | 6 9/32           | PM 160/1  |        |             |               |        | 110                        | 4 5/16  | 110                            | 4 5/16  | x      |       |                    | x      |        |                   |                      |
| 160        | 6 9/32           | PM 160/2  | x      | xxx         | 0*            | 0*     | 120                        | 4 23/32 |                                |         | x      |       |                    |        | x      |                   |                      |
| 160        | 6 9/32           | PM 160/3  | x      | xxx         | 0*            | 0*     | 110                        | 4 5/16  | 50                             | 1 15/16 |        | 2     |                    |        | x      |                   |                      |
| 160        | 6 9/32           | PM 160/4  |        |             |               |        | 55                         | 2 5/32  | 55                             | 2 5/32  | x      |       |                    |        | x      |                   |                      |
| 166        | 6 17/32          | PM 166/1  | x      | xxxx        | 40            | 1 9/16 | 51                         | 2       | 40                             | 1 9/16  | x      |       |                    |        | x      |                   |                      |
| 168        | 6 19/32          | PM 168/1  |        | xxx         |               |        | 130                        | 5 3/32  | 40                             | 1 9/16  | x      |       |                    |        | x      |                   |                      |
| 170        | 6 11/16          | PM 170/1  |        |             |               |        | 116                        | 4 9/16  | 116                            | 4 9/16  | x      |       |                    | x      | x      |                   |                      |
| 170        | 6 11/16          | PM 170/2  |        | xxxx        |               |        | 95                         | 3 23/32 | 45                             | 1 3/4   | x      |       |                    | x      |        |                   |                      |
| 170        | 6 11/16          | PM 170/3  |        |             |               |        | 90                         | 3 17/32 |                                |         | x      |       |                    |        | x      |                   |                      |

0\* : Separated bottom

## SOFT CHEESES

★ ◆ ▼ ▲ ○ ■ ● Rounds  
171 to 194 mm | 6 23/32 to 7 5/8 inch



| Dimensions |                  | Reference | Bottom | Perforation | Maximal depth |                | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|------------------|-----------|--------|-------------|---------------|----------------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
| mm         | inch             |           |        |             | mm            | inch           | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 171/184    | 6 23/32   7 7/32 | PM 171/1  | x      | xxxx        | 162           | 6 3/8          |                            |         |                                |         | x      |       |                    |        |        |                   | x                    |
| 180        | 7 1/16           | PM 180/1  |        |             |               |                | 125                        | 4 29/32 | 125                            | 4 29/32 | x      |       |                    |        | x      |                   |                      |
| 180        | 7 1/16           | PM 180/2  |        | xxxx        |               |                | 100                        | 3 29/32 | 50                             | 1 15/16 | x      |       |                    | x      |        |                   |                      |
| 185        | 7 9/32           | PM 185/1  | x      | xxxx        | 0*            | 0*             | 80                         | 3 1/8   |                                |         | x      |       |                    | x      | x      |                   |                      |
| 190        | 7 15/32          | PM 190/1  | x      | xxxx        | 50/5          | 1 15/16   3/16 |                            |         |                                |         | x      |       |                    |        | x      |                   |                      |
| 190        | 7 15/32          | PM 190/2  |        |             |               |                | 166,5                      | 6 17/32 | 166,5                          | 6 17/32 | x      |       |                    | x      | x      |                   |                      |
| 190        | 7 15/32          | PM 190/3  |        | xxxx        |               |                | 130                        | 5 3/32  | 130                            | 5 3/32  | x      |       |                    |        | x      |                   |                      |
| 190        | 7 15/32          | PM 190/4  |        | xxxx        |               |                | 130                        | 5 3/32  | 50                             | 1 15/16 | x      |       |                    |        | x      |                   |                      |
| 190/5      | 7 15/32   3/16   | PM 190/5  | x      |             | 30            | 1 5/32         | 67                         | 2 5/8   | 67                             | 2 5/8   | x      |       |                    | x      |        |                   | x                    |
| 190        | 7 15/32          | PM 190/6  |        | xxx         |               |                | 70                         | 2 3/4   | 50                             | 1 15/16 | x      |       |                    |        | x      |                   | x                    |
| 190        | 7 15/32          | PM 190/7  |        |             |               |                | 127,5                      | 5       | 127,5                          | 5       | x      |       |                    | x      |        |                   | x                    |
| 190        | 7 15/32          | PM 190/8  |        | xxxx        |               |                | 70                         | 2 3/4   | 42                             | 1 5/8   | x      |       |                    | x      |        |                   | x                    |
| 190        | 7 15/32          | PM 190/9  |        | xxxx        |               |                | 110                        | 4 5/16  | 50                             | 1 15/16 | x      |       |                    |        | x      |                   |                      |
| 194        | 7 5/8            | PM 194/1  |        |             |               |                | 165                        | 6 15/32 | 165                            | 6 15/32 | x      |       |                    | x      | x      |                   |                      |

0\* : seperated bottom

You have not found the model you are looking for, we certainly have a solution for you.

Feel free to contact us : Tel +33 (0)2 47 96 11 50 – Fax +33 (0)2 47 96 11 77

## SOFT CHEESES

Rounds ●■□○△▽◇★

200 to 225 mm | 7 27/32 to 8 27/32 inch




| Dimensions |         | Reference | Bottom | Perforation | Maximal depth |         | Maximal Height of Mould |         | Maximal Height of Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|---------|-----------|--------|-------------|---------------|---------|-------------------------|---------|-----------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |         |           |        |             |               |         |                         |         |                             |         |        |       |                    |        |        |                   |                      |
| mm         | inch    |           |        |             | mm            | inch    | mm                      | inch    | mm                          | inch    |        |       |                    |        |        |                   |                      |
| 200        | 7 27/32 | PM 200/1  | x      | x           | 190           | 7 15/32 |                         |         |                             |         | x      |       |                    |        |        |                   | x                    |
| 200        | 7 27/32 | PM 200/2  | x      | xx          | 201           | 7 29/32 |                         |         |                             |         | x      |       |                    |        | x      |                   |                      |
| 200        | 7 27/32 | PM 200/3  | x      | xx          | 172,5         | 6 25/32 |                         |         |                             |         | x      |       |                    |        | x      |                   |                      |
| 200        | 7 27/32 | PM 200/4  |        | xxx         |               |         | 85                      | 3 11/32 | 55                          | 2 5/32  | x      |       |                    | x      |        |                   | x                    |
| 200        | 7 27/32 | PM 200/5  |        | xx          |               |         | 150                     | 5 7/8   |                             |         | x      |       |                    | x      |        |                   | x                    |
| 200        | 7 27/32 | PM 200/6  |        | xxxx        |               |         | 120                     | 4 23/32 | 50                          | 1 15/16 | x      |       |                    |        | x      |                   | x                    |
| 200        | 7 27/32 | PM 200/7  |        |             |               |         | 125                     | 4 29/32 | 25                          | 4 29/32 | x      |       |                    |        | x      |                   | x                    |
| 200        | 7 27/32 | PM 200/8  |        |             |               |         | 227                     | 8 29/32 | 227                         | 8 29/32 | x      |       |                    | x      | x      |                   |                      |
| 205        | 8 1/16  | PM 205/1  |        |             |               |         | 123                     | 4 13/16 | 123                         | 4 13/16 | x      |       |                    | x      | x      |                   |                      |
| 206        | 8 3/32  | PM 206/1  |        |             |               |         | 125                     | 4 29/32 | 125                         | 4 29/32 | x      |       |                    |        | x      |                   |                      |
| 210        | 8 1/4   | PM 210/1  |        |             |               |         | 124                     | 4 7/8   | 124                         | 4 7/8   | x      |       |                    | x      | x      |                   |                      |
| 210        | 8 1/4   | PM 210/2  |        |             |               |         | 95                      | 3 23/32 | 95                          | 3 23/32 | x      |       |                    |        | x      |                   |                      |
| 213        | 8 3/8   | PM 213/1  | x      | xx          | 121           | 4 3/4   |                         |         |                             |         | x      |       |                    |        | x      |                   | x                    |
| 220        | 8 21/32 | PM 220/1  |        | xx          |               |         | 170                     | 6 11/16 |                             |         | x      |       |                    |        | x      |                   | x                    |
| 220        | 8 21/32 | PM 220/2  |        | xx          |               |         | 114                     | 4 15/32 | 114                         | 4 15/32 | x      |       |                    | x      | x      |                   |                      |
| 220        | 8 21/32 | PM 220/3  |        |             |               |         | 125                     | 4 29/32 | 125                         | 4 29/32 | x      |       |                    |        | x      |                   |                      |
| 220        | 8 21/32 | PM 220/4  |        | xxxx        |               |         | 90                      | 1 15/16 | 50                          | 1 15/16 | x      |       |                    | x      |        |                   |                      |
| 225        | 8 27/32 | PM 225/1  | x      |             | 80            | 3 1/8   |                         |         |                             |         | x      |       |                    |        | x      |                   |                      |

0\* : Separated bottom

## SOFT CHEESES

★ ◆ ▼ ▲ ● ■ ■ ● Rounds  
230 to 340 mm | 9 1/32 to 13 3/8 inch



| Dimensions |          | Reference | Bottom | Perforation | Maximal depth |                | Maximal Height of<br>Mould |         | Maximal Height of<br>Extension |         | Single | Bande | 1/2 block or block | Cliped | Welded | Standard Grouping | Use under conditions |
|------------|----------|-----------|--------|-------------|---------------|----------------|----------------------------|---------|--------------------------------|---------|--------|-------|--------------------|--------|--------|-------------------|----------------------|
|            |          |           |        |             |               |                |                            |         |                                |         |        |       |                    |        |        |                   |                      |
| mm         | inch     |           |        |             | mm            | inch           | mm                         | inch    | mm                             | inch    |        |       |                    |        |        |                   |                      |
| 230        | 9 1/32   | PM 230/1  | x      | xxxx        | 47/5          | 1 27/32   3/16 |                            |         |                                |         | x      |       |                    |        | x      |                   | x                    |
| 235        | 9 1/4    | PM 235/1  |        |             |               |                | 60                         | 2 11/32 |                                |         | x      |       |                    |        | x      |                   |                      |
| 235        | 9 1/4    | PM 235/2  | x      | x           | 140           | 5 1/2          | 102                        | 4       |                                |         | x      |       |                    |        | x      |                   | x                    |
| 237        | 9 1/16   | PM 237/1  |        |             |               |                | 105                        | 4 1/8   |                                |         | x      |       |                    | x      | x      |                   |                      |
| 240        | 9 7/16   | PM 240/1  |        |             |               |                | 60                         | 2 11/32 |                                |         |        | 2     |                    |        | x      |                   |                      |
| 248        | 9 3/4    | PM 248/1  |        |             |               |                | 223                        | 8 3/4   |                                |         | x      |       |                    | x      | x      |                   | x                    |
| 248        | 9 3/4    | PM 248/2  |        | xxx         |               |                | 223                        | 8 3/4   |                                |         | x      |       |                    | x      | x      |                   | x                    |
| 260        | 10 7/32  | PM 260/1  |        |             |               |                |                            |         | 40                             | 1 9/16  | x      |       |                    |        | x      |                   |                      |
| 270        | 10 5/8   | PM 270/1  |        |             |               |                | 153,5                      | 6 1/32  | 153,5                          | 6 1/32  | x      |       |                    | x      | x      |                   |                      |
| 308        | 12 1/8   | PM 308/1  |        |             |               |                | 215                        | 8 7/16  | 185                            | 7 9/32  | x      |       |                    |        | x      |                   | x                    |
| 318        | 12 1/2   | PM 318/1  |        |             |               |                | 125                        | 4 29/32 | 125                            | 4 29/32 | x      |       |                    |        | x      |                   |                      |
| 320        | 12 19/32 | PM 320/1  |        |             |               |                | 125                        | 4 29/32 | 125                            | 4 29/32 | x      |       |                    |        | x      |                   |                      |
| 320        | 12 19/32 | PM 320/2  |        |             |               |                | 85                         | 3 11/32 |                                |         |        |       | x                  |        |        | 1x2               |                      |
| 324        | 12 3/4   | PM 324/1  |        |             |               |                | 113                        | 4 7/16  | 113                            | 4 7/16  | x      |       |                    |        | x      |                   |                      |
| 326        | 12 13/16 | PM 326/1  |        |             |               |                | 113                        | 4 7/16  | 113                            | 4 7/16  | x      |       |                    |        | x      |                   |                      |
| 330        | 12 31/32 | PM 330/1  |        |             |               |                |                            |         | 20                             | 25/32   | x      |       |                    |        | x      |                   |                      |
| 340        | 13 3/8   | PM 340/1  |        |             |               |                | 72                         | 2 15/16 | 75                             | 2 15/16 | x      |       |                    |        | x      |                   |                      |
| 340        | 13 3/8   | PM 340/2  |        |             |               |                | 80                         | 3 1/8   |                                |         | x      |       |                    |        | x      |                   |                      |
| 340        | 13 3/8   | PM 340/3  |        |             |               |                | 152                        | 5 31/32 |                                |         | x      |       |                    | x      | x      |                   | x                    |

0\* : seperated bottom

You have not found the model you are looking for, we certainly have a solution for you.

Feel free to contact us : Tel +33 (0)2 47 96 11 50 – Fax +33 (0)2 47 96 11 77